

Material Safety Data Sheet: ELITE #1 WG

Supersedes Date 06/24/2011

Issuing Date 09/16/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name ELITE #1 WG
Recommended use Lubricant
Information on Manufacturer
MANTEK, DIVISION OF NCH CORP.
BOX 152170
IRVING, TEXAS 75015

Product Code 4535
Chemical nature mixture
Emergency Telephone Number
CHEMTREC® 800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview
CAUTION
May cause skin irritation
May cause eye irritation

Color Black
Potential Health Effects
Principle Route of Exposure
Primary Routes of Entry
Acute Effects
Eyes
Skin
Inhalation
Ingestion
Chronic Toxicity
Target Organ Effects
Aggravated Medical Conditions
Potential Environmental Effects

Physical State Solid
Eye contact, Skin contact.
None known
May cause eye irritation.
May cause skin irritation.
Low hazard for usual industrial or commercial handling.
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
None known.
Kidney, Eyes, Skin, Blood, Bone, Respiratory system.
Skin disorders, Kidney disorders, Blood disorders, Respiratory disorders.
See Section 12 for additional Ecological information.

Odor Oily

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	64742-52-5
Calcium carbonate	1317-65-3
Aluminum benzoate fatty acid complex	82980-54-9
Tricalcium phosphate	1306-06-5
White mineral oil, solvent refined	8042-47-5
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5
Molybdenum disulfide	1317-33-5
Barium dinonylnaphthalene sulfonate	25619-56-1

4. FIRST AID MEASURES

General advice Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.
Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.
Skin Contact Wipe up with absorbent material (e.g. cloth, fleece). Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur.
Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flash Point > 400 °F / > 204 °C
Autoignition Temperature No information available.
Flammability Limits in Air % Not applicable.
Suitable Extinguishing Media Water spray. Foam. Carbon dioxide (CO2). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards arising from the chemical

Method	Open cup
Upper	No data available
Lower	No data available

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA	Health 1	Flammability 1	Instability 0
HMIS	Health 1	Flammability 1	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions	Prevent further leakage or spillage if safe to do so.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13)
Methods for Cleaning Up	Pick up and transfer to properly labeled containers
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.			
Storage	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.			
Storage Temperature	Minimum	0 °F / -18 °C	Maximum	150 °F / 66 °C
Storage Conditions	Indoor	X	Outdoor	X
			Heated	
			Refrigerated	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³	TWA: 5 mg/m ³	IDLH: 2,500 mg/m ³ ; STEL 10 mg/m ³ ; TWA: 5 mg/m ³
Calcium carbonate	No data available	TWA: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³
Aluminum benzoate fatty acid complex	No data available	No data available	No data available
Tricalcium phosphate	No data available	No data available	No data available
White mineral oil, solvent refined	5 mg/m ³	5 mg/m ³	IDLH 2500 mg/m ³ STEL 10 mg/m ³
Styrene-Ethylene/Propylene Block Copolymer	No data available	No data available	No data available
Molybdenum disulfide	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 15 mg/m ³	IDLH: 5000 mg/m ³
Barium dinonylnaphthalene sulfonate	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³

Engineering Measures

Personal Protective Equipment

Eye/Face Protection

Skin Protection

Respiratory Protection

General Hygiene Considerations

Ensure adequate ventilation, especially in confined areas.

Safety glasses with side-shields.

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.

In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid	Viscosity	Semi-Solid
Color	Black	Odor	Oily
Appearance	Textured black paste	pH	Not applicable
Specific Gravity	0.93	Evaporation Rate	0 (Butyl acetate=1)
Percent Volatile (Volume)	0	VOC Content (%)	0
VOC Content (g/L)	0	Vapor Pressure	<0.01 mmHg @ 70°F
Vapor Density	7.9	Solubility	Negligible
Boiling Point/Range	> 343 °F / 173 °C		

10. STABILITY AND REACTIVITY

Chemical Stability

Conditions to Avoid

Incompatible Products

Stable. Hazardous polymerization does not occur.

None known

Strong oxidizing agents, Acids, Bases, Metal nitrates.

Hazardous Decomposition Products

Carbon oxides, Oxides of phosphorus, Aldehydes, Ketones, Sulfur oxides.

Possibility of Hazardous Reactions

None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

No information available.

Component Information

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
Calcium carbonate	= 6450 mg/kg (Rat)	no data available	no data available	no data available	no data available
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
White mineral oil, solvent refined	> 5000 mg/kg (Rat)	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	> 2820 mg/m ³ (Rat) 4 h	no data available	no data available
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	no data available

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	respiratory system
Calcium carbonate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
White mineral oil, solvent refined	no data available	no data available	no data available	no data available	respiratory system
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	no data available	no data available	respiratory system, kidneys, eyes, blood, bones, joints
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	no data available

Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Calcium carbonate	not applicable	not applicable	not applicable	not applicable	not applicable
Aluminum benzoate fatty acid complex	not applicable	not applicable	not applicable	not applicable	not applicable
Tricalcium phosphate	not applicable	not applicable	not applicable	not applicable	not applicable
White mineral oil, solvent refined	not applicable	not applicable	not applicable	not applicable	not applicable
Styrene-Ethylene/Propylene Block Copolymer	not applicable	not applicable	not applicable	not applicable	not applicable
Molybdenum disulfide	not applicable	not applicable	not applicable	not applicable	not applicable
Barium dinonylnaphthalene sulfonate	not applicable	not applicable	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50 > 1000 mg/L 48 h	N/A

Calcium carbonate	no data available	no data available	no data available	no data available	N/A
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	N/A
Tricalcium phosphate	no data available	no data available	no data available	no data available	N/A
White mineral oil, solvent refined	no data available	LC50 > 10000 mg/L Lepomis macrochirus 96 h	no data available	no data available	>6
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	N/A
Molybdenum disulfide	no data available	no data available	no data available	no data available	N/A
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability No information available.
Bioaccumulation No information available.
Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.
Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated
TDG Not regulated
ICAO Not regulated
IATA Not regulated
IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories
TSCA Complies
DSL Complies
U.S. Federal Regulations
SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Barium dinonylnaphthalene sulfonate	25619-56-1	1-5	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	No	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	Not applicable	Not applicable
Calcium carbonate	Not applicable	Not applicable
Aluminum benzoate fatty acid complex	Not applicable	Not applicable
Tricalcium phosphate	Not applicable	Not applicable
White mineral oil, solvent refined	Not applicable	Not applicable
Styrene-Ethylene/Propylene Block Copolymer	Not applicable	Not applicable
Molybdenum disulfide	Not applicable	Not applicable
Barium dinonylnaphthalene sulfonate	Not applicable	Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2B Toxic materials



16 OTHER INFORMATION

Prepared By	Adrienne McKee
Supersedes Date	06/24/2011
Issuing Date	09/16/2013
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

MANTEK, DIVISION OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

