

# Material Safety Data Sheet: SPECTRA XTREME 15W40 CJ-4

Supersedes Date 01/01/0001

Issuing Date 11/06/2012

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** SPECTRA XTREME 15W40 CJ-4  
**Recommended use** Lubricant  
**Information on Manufacturer**  
 MANTEK, DIVISION OF NCH CORP.  
 BOX 152170  
 IRVING, TEXAS 75015

**Product Code** J125  
**Chemical nature** Hydrocarbons Mixture  
**Emergency Telephone Number**  
 CHEMTREC® 800-424-9300

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

WARNING

May cause skin irritation

May cause eye irritation

Prolonged or repeated inhalation may cause damage to the lungs

**Color** Dark green

**Physical State** Liquid

**Odor** Petroleum-like

**Potential Health Effects**

**Principle Route of Exposure**

**Primary Routes of Entry**

**Acute Effects**

Eyes

Skin

Inhalation

Ingestion

**Chronic Toxicity**

Skin contact, Eye contact.

Eye contact, Inhalation.

May cause eye irritation.

May cause skin irritation.

May cause irritation of respiratory tract. (Mist).

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Prolonged skin contact may defat the skin and produce dermatitis. Prolonged or repeated inhalation may cause damage to the lungs.

Respiratory system, Liver, Kidney, Heart, Central nervous system, Cardiovascular system.

Skin disorders, Respiratory disorders, Liver disorders, Kidney disorders, Neurological disorders.

See Section 12 for additional Ecological information.

**Target Organ Effects**

**Aggravated Medical Conditions**

**Potential Environmental Effects**

## 3. COMPOSITION INFORMATION ON INGREDIENTS

Component	CAS-No
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	72623-87-1
Polybutene	9003-29-6
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	64741-88-4
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	64741-89-5
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	64742-54-7
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	64742-65-0
Zinc alkyldithiophosphate	68649-42-3
N,N-Dimethylcyclohexylamine	98-94-2

## 4. FIRST AID MEASURES

**General advice**

**Eye Contact**

**Skin Contact**

**Inhalation**

**Ingestion**

**Notes to physician**

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.

Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.

If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur.

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Flash Point** 440 °F / 227 °C

**Autoignition Temperature** No information available.

**Flammability Limits in Air %** Not applicable.

**Method**

Open cup

**Upper** No data available

**Lower** No data available

**Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water spray. Foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Specific hazards arising from the chemical**

Material can create slippery conditions.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA	Health 1	Flammability 1	Instability 0
HMIS	Health 1	Flammability 1	Instability 0

**6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
<b>Environmental Precautions</b>	Do not flush into surface water or sanitary sewer system.
<b>Methods for Containment</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13)
<b>Methods for Cleaning Up</b>	Pick up and transfer to properly labeled containers
<b>Neutralizing Agent</b>	Not applicable.

**7. HANDLING AND STORAGE**

<b>Handling</b>	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.			
<b>Storage</b>	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.			
<b>Storage Temperature</b>	<b>Minimum</b>	0 °F / -18 °C	<b>Maximum</b>	120 °F / 49 °C
<b>Storage Conditions</b>	<b>Indoor</b>	X	<b>Outdoor</b>	X
			<b>Heated</b>	
			<b>Refrigerated</b>	

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	No data available	No data available	No data available
Polybutene	5 mg/m <sup>3</sup> as oil mist	10 mg/m <sup>3</sup> as oil mist	No data available
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	TWA: 5 mg/m <sup>3</sup> STES: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	No data available
Zinc alkyldithiophosphate	No data available	No data available	No data available
N,N-Dimethylcyclohexylamine	No data available	No data available	No data available

<b>Engineering Measures</b>	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
<b>Personal Protective Equipment</b>	
<b>Eye/Face Protection</b>	Safety glasses with side-shields.
<b>Skin Protection</b>	For prolonged or repeated contact, use protective gloves
<b>Respiratory Protection</b>	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>General Hygiene Considerations</b>	Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State</b>	Liquid	<b>Viscosity</b>	Semi-viscous
<b>Color</b>	Dark green	<b>Odor</b>	Petroleum-like
<b>Appearance</b>	Transparent	<b>pH</b>	Not applicable
<b>Specific Gravity</b>	0.874	<b>Evaporation Rate</b>	No data available
<b>Percent Volatile (Volume)</b>	No information available	<b>VOC Content (%)</b>	0

VOC Content (g/L)	0	Vapor Pressure	<0.1mmHg @ 70 F
Vapor Density	No data available	Solubility	Negligible
Boiling Point/Range	No data available		

### 10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	None known
Incompatible Products	Strong oxidizing agents
Hazardous Decomposition Products	Carbon oxides
Possibility of Hazardous Reactions	None under normal processing

### 11. TOXICOLOGICAL INFORMATION

**Product Information** No information available.

#### Component Information

##### Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h	no data available	no data available
Polybutene	no data available	no data available	no data available	no data available	no data available
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h	no data available	no data available
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h	no data available	no data available
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	no data available
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 4.7 mg/L ( Rat ) 4 h	no data available	no data available
Zinc alkyldithiophosphate	no data available	no data available	no data available	no data available	no data available
N,N-Dimethylcyclohexylamine	= 272 mg/kg ( Rat )	no data available	no data available	no data available	no data available

##### Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	no data available	no data available	no data available	no data available	no data available
Polybutene	no data available	no data available	no data available	no data available	Heart, liver, kidney, lung
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	no data available
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	no data available
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	respiratory system
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	lungs
Zinc alkyldithiophosphate	no data available	no data available	no data available	no data available	no data available
N,N-Dimethylcyclohexylamine	no data available	no data available	no data available	no data available	skin, eyes, CNS, liver, kidney, respiratory system, CVS

##### Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	not applicable	not applicable	not applicable	not applicable	not applicable
Polybutene	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillates, solvent-	not applicable	not applicable	not applicable	not applicable	not applicable

refined light paraffinic (<3% DMSO extractable)					
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Zinc alkyldithiophosphate	not applicable	not applicable	not applicable	not applicable	not applicable
N,N-Dimethylcyclohexylamine	not applicable	not applicable	not applicable	not applicable	not applicable

## 12. ECOLOGICAL INFORMATION

### Product Information

No information available.

### Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50> 1000 mg/L 48 h	N/A
Polybutene	no data available	no data available	no data available	no data available	N/A
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50> 1000 mg/L 48 h	N/A
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50> 1000 mg/L 48 h	N/A
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50> 1000 mg/L 48 h	N/A
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50> 1000 mg/L 48 h	N/A
Zinc alkyldithiophosphate	no data available	LC50 1.0 - 5.0 mg/L Pimephales promelas 96 h LC50 10.0 - 35.0 mg/L Pimephales promelas 96 h	no data available	EC50 1 - 1.5 mg/L 48 h	N/A
N,N-Dimethylcyclohexylamine	EC50 = 0.309 mg/L Desmodesmus subspicatus 72 h EC50 = 0.0885 mg/L Desmodesmus subspicatus 96 h	LC50 22 - 46 mg/L Leuciscus idus 96 h	EC50 = 206 mg/L 17 h	EC50= 75 mg/L 48 h	2.01

### Persistence and Degradability

No information available.

### Bioaccumulation

No information available.

### Mobility

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Product Disposal

Dispose of in accordance with local regulations.

### Container Disposal

Empty containers should be taken for local recycling, recovery, or waste disposal

## 14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
ICAO	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

## 15. REGULATORY INFORMATION

### Inventories

TSCA

Complies

DSL

Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Zinc alkyldithiophosphate	68649-42-3	1-5	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	No	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	Not applicable	Not applicable
Polybutene	Not applicable	Not applicable
Petroleum distillates, solvent-refined heavy paraffinic (<3% DMSO extractable)	Not applicable	Not applicable
Petroleum distillates, solvent-refined light paraffinic (<3% DMSO extractable)	Not applicable	Not applicable
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	Not applicable	Not applicable
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	Not applicable	Not applicable
Zinc alkyldithiophosphate	Not applicable	Not applicable
N,N-Dimethylcyclohexylamine	Not applicable	Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2B Toxic materials



16. OTHER INFORMATION

Prepared By: Angela Hutson  
 Supersedes Date: 01/01/0001  
 Issuing Date: 11/06/2012  
 Reason for Revision: No information available.  
 Glossary: No information available.  
 List of References: No information available.

MANTEK, DIVISION OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

